

CHECKPOINT EAS CATALOG





WWW.KRONNIX.COM



ANTENNA RANGES

- $\sqrt{}$ Installed at entrances, exits, staff exits and possibly toilet facilities in your store.
- $\sqrt{}$ Transmits low frequency radio waves at the same frequency as the tags.
- \checkmark Checkpoint NGL and EVOLVE iRange 360 RF Pulse listen systems are based on transceiver technology and therefore can operate as a single stand alone antenna.
- $\sqrt{}$ The technology is harmless and will not affect pace makers, hearing aids etc.
- $\sqrt{}$ When a tag enters the detection field an audible alarm is heard.
- $\sqrt{}$ The visible and audible alarm lasts for approx 5 seconds before automatically resetting.
- $\sqrt{}$ If a tag is left within the detection field the alarm will sound continuously until removed.
- \checkmark All antenna systems require testing each day using a special 'Test tag'.
- $\sqrt{}$ The store manager is ultimately responsible for testing and reporting faults.
- $\sqrt{}$ It is essential that each and every alarm activation is responded to.



CLASSIC RANGE

Offers the recognised benefits of Checkpoint Design, Quality and Detection in affordable design options.



EVOLVE iRANGE

Checkpoints premier range, designed with maximum detection and maximum control with clear KPI driven management tools. Comes complete with full range of data accessories to help retailers to grow profitably.



EVOLVE EXCLUSIVE RANGE

An exclusive collection of designer based solutions. For retailers who store designs require something more Exclusive. All based on evolve technology for the best of the best.







ELECTRONIC ARTICLE SURVEILLANCE ANTENNAS

							A	.6	6	CONFUE	OUNTING	CRATION ONIC	N ⁴ SEP	ICE ICE	ERMCE		- AR)	
		an TATIO	A BETE	JION WENC	H ANCT	. ORt CC	ATED DUAL CO	OR-LED ^S	-OUNTINC PO	SOURHERS CONFUR	OUNTER OF	AINTEGIC REP	ORING SERV ORING SERV ORIGE	LEE SWART	ALARSA MARKE	tenent colors	AS STAND	20 ^{10¹⁰}	CABLE.
FEATURES	BROKTE	OLI EAS	A SHOLD SHOLD	EREQUENC	FREQUENCY"	NEIW NIEG	ATED MIEGR	ATED VISIPLUS	VISIPL ^U	COMPLIA	EVOLVE'	EN ENOLY	CHECK	SMART SMART	ALARA ADVER	risin ^C colops	DBA ECO.EN	Provinces prounds	RADI. NUPTO
CLASSIC PLUS/QX	<	- √	- 🗸														1		1.6 m 5.249 ft
CLASSIC TREND/PX	√	- 🗸	1														1		1.8 m 5.905 ft
CLASSIC STREET	√	1	1												1	1	1		1.8 m 5.905 ft
CLASSIC STYLE	√	1	1			1										1	1		1.8 m 5.905 ft
			/	//	/			/	/		/	/	/	//			"		2.1 m
EVOLVE P10	\checkmark	V	\checkmark	V	\checkmark		\checkmark	\checkmark	V	V	V	\checkmark	\checkmark	V			\checkmark	\checkmark	6 ft
EVOLVE P20	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark		\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark			\checkmark		1.8 m 5.905 ft
EVOLVE P20S	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark			\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark			\checkmark		0.8 m 2.624 ft
EVOLVE P30	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark		\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark		1.8 m 5.905 ft
EVOLVE G10	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark		1	1	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark			\checkmark		2.1 m 6 ft
EVOLVE G20	1	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark		1	1	\checkmark	1	\checkmark	1	\checkmark			\checkmark		1.8 m 5.905 ft
EVOLVE G30		1	1	./	1		./	./	./			./	./	1		1	1		2 m 6 ft
		•	V	V	V	W	V	V	~	V	V	V	V	V		W	V		U II
EVOLVE EX S10		1	✓	1	1		1	\checkmark	✓	✓	✓	\checkmark	✓	✓			\checkmark		1.8 m 5.905 ft
EVOLVE EX F10		1	✓		1			1	1	✓	1	1	1	1			1		See launch info
EVOLVE EX E10		✓		✓	✓	✓	1	✓	1	✓	✓	\checkmark	✓	✓				✓	2 m 6 ft





ANTENNA RANGES









STYLE

STREET







P20 S (SEMI-SHIELDED)











F10 UNDERFLOOR



S10

P30

E10 RF, DUAL, RFID





CHECKPOINT EAS SOLUTIONS HARDWARE



CLASSIC	ARTICLE NUMBER	DESCRIPTION
	KX10066375	CLASSIC TREND/PX PSB 1.70 x 0.50 x 0.11 meters 5.557 x 1.640 x 0.360 feet
	KX7275480	CLASSIC TREND/PX SSB 1.70 x 0.50 x 0.11 meters 5.557 x 1.640 x 0.360 feet
2		Aisle Width* Up to 2.0 meters 6.65 feet
	KX10060042	CLASSIC PLUS/QX PSB 1.68 x 0.30 x 0.09 meters
	KX7308818	5.511 x 0.984 x 0.295 feet CLASSIC PLUS/QX SSB
		1.68 x 0.30 x 0.09 meters 5.511 x 0.984 x 0.295 feet
		Aisle Width* Up to 1.6 meters 5.249 feet

*Aisle width may vary depending on tag type and environment Do not forget the power supplies, cables or country specific power cord





CHECKPOINT EAS SOLUTIONS HARDWARE



CLASSIC	ARTICLE NUMBER	DESCRIPTION
	KX10072610 KX10110784	CLASSIC STREET WITH NEW LAMP DESIGN AND AD PANELS PSB 1.54 x 0.345 x 0.094 meters 5.052 x 1.131 x 0.308 feet CLASSIC STREET WITH NEW LAMP DESIGN AND AD PANELS SSB 1.54 x 0.34 x 0.094 meters 5.052 x 1.131 x 0.308 feet Aisle Width* Up to 1.8 meters 5.905 feet
→	KX10067260 KX10109368	CLASSIC STYLE PSB 1.517 x 0.27 x 0.11 meters 4.977 x 0.885 x 0.360 feet CLASSIC STYLE SSB 1.517 x 0.27 x 0.11 meters 4.977 x 0.885 x 0.360 feet Aisle Width* Up to 1.8 meters 5.905 feet

*Aisle width may vary depending on tag type and environment Do not forget the power supplies, cables or country specific power cord





Checkpoint Systems is a global leader in shrink management, merchandise visibility and apparel labeling solutions. Checkpoint partners with retailers and their suppliers to reduce shrink, increase shelf availability, ensure labeling consistency and achieve operational excellence. Checkpoint's solutions enable retailers to enhance the shopping experience for consumers, and grow their businesses profitably.





APPAREL LABELING SOLUTIONS



<u>Contact:</u> info@kronnix.com www.kronnix.com

Note:

Some products could not be available for Latin America & Caribbean Region, and/or other regions. Please refer your products to those showed in the local Price List by your local representative.



YOUR LOCAL REPRESENTATIVE

Please contact your local representative for your request of any Checkpoint EAS product. Thank you!